1

	REVISIONS										
REV	DESCRIPTION	DATE	APPROVED								
N/C	INITIAL RELEASE	08-03-20	J. GARDINER								
Α	INCORPORATED ECN 06561	05-17-21	J. GARDINER								

NOTES:

1	FOR INSTALLATION INSTRUCTIONS REFER TO DOCUMENT II145-6.
١.	I ON INSTALLATION INSTITUCTIONS INLITED TO DOCUMENT IT 143-0.

2 IDENTIFY IAW MPP-120 FOR FAA-PMA.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.

3 APPLY A THIN COAT OF MASTINOX, F/N 79 TO ALL FAYING SURFACES.

4 MATCH DRILL HOLES WITH CORRESPONDING ASSEMBLY.

5 INSTALL F/N'S 90, 91, 58, & 59, WET WITH F/N 100.

ATTACH SAFETY WIRE, F/N 82, TO SCREWS ON TOP OF MULTICABLE BOX F/N 60, ONCE ALL CABLES HAVE BEEN RIGGED.

/T INSTALL PLACARDS F/N 97, F/N 98, & F/N 119 ON INSTRUMENT PANEL IN PILOT'S VIEW. INSTALL PLACARD F/N 99 IN PLAIN VIEW IN FWD & AFT CABINS.

APPLY A LAYER OF PRO-SEAL, F/N 80, AROUND THE TOP OF THE MULTICABLE BOX, F/N 60, AFTER ALL CABLES HAVE BEEN RIGGED AND PRIOR TO ATTACHING BOX LID.

USE COPPER WIRE, F/N 102, TO SECURE T-HANDLE ON PULL CABLE, F/N 25 & 26 TO THE T-HANDLE BRACKET, F/N 24.

INSTALLATION OF SKID EXTENSION KIT, 654.6711 PER II145-6 ON STANDARD SKID GEAR.

USE TYWRAP, F/N 72, TO ATTACH PULL CABLES & WIRES TO EXISTING ROUTING BUNDLES AS NEEDED.

12 DRILL HOLE .438 THRU BOTTOM SKIN.

13 DRILL HOLE .249 THRU BOTTOM SKIN.

CUT BUNA-N RUBBER, F/N 81, TO CORRECT SIZE AND ATTACH TO T-BOLT CLAMPS, F/N 50.

APPLY A LAYER OF PRO-SEAL, F/N 80, PRIOR TO INSTALL.

6 EXISTING FLOAT INSTALLATION POINT.

ALTERNATE: P/N 646.5910 PULL CABLE ASSEMBLY.

ALTERNATE: P/N 601.4038. USE ONLY WITH ALTERNATE P/N 601.4039

ALTERNATE: P/N 601.4039. USE ONLY WITH ALTERNATE P/N 601.4038

20 ALTERNATE: P/N 646.4103, 651.3403

<u>∕2</u>↑ VALVE COVER FOR LIFERAFT RESERVOIR

VALVE COVER FOR FLOAT RESERVOIR

23 VERIFY PULL FORCES USING P/N 606.7803 TEST TOOL PER II145-6

F/N 128, P/N 654.9810, IS FOR USE AS ALTERNATE HARDWARE ON THE H145 BRACKET ASSY, P/N 651.4003, AND H145 REMOVABLE ASSY, P/N 651.4004, WHEN OEM FIXED PROVISIONS ARE USED.

								_															
			1																18	648.0202	CLAMP ASSY		
						2	2												17	649.5501	UPPER CLAMP ASSY		
	2			2	2					2	2	2	2		2		2	2	16	602.3005	HOSE ASSY		
	2			2	2					2	2	2	2		2		2	2	15	602.3004	HOSE ASSY		
	1			1	1					1	1	1	1		1		1	1	14	602.3003	HOSE ASSY		
	1			1	1					1	1	1	1		1		1	1	13	602.3002	HOSE ASSY		
	1			1	1					1	1	1	1		1		1	1	12	602.3012	HOSE ASSY		
								2											11	646.6801	SKIDTUBE EXTENSION ASSY		3
						1													10	651.4103	ELEC ACTIVATION		
							1												9	651.4101	ELEC ACTIVATION		
									1	1	1	1							8	646.5405	FWD FLOAT ASSY R.H. W/		
									1	1	1	1							7	646.5406	GUARD FWD FLOAT ASSY L.H. W/		
									<u> </u>	i i	<u> </u>	<u> </u>	1		1		1	1	6	646.5402	GUARD FWD FLOAT ASSY R.H.		
													1		1		1	1	5	646.5401	FWD FLOAT ASSY L.H.		
									1		1		1		'			'	-				
									<u> </u>		1		·				1		4	646.5504	AFT FLOAT ASSY R.H.		
							-		1		1		1				1		3	646.5503	AFT FLOAT ASSY L.H. AFT FLOAT ASSY W/LIFERAFT		
										1		1			1			1	2	646.5544	R.H AFT FLOAT ASSY W/LIFERAFT		
										1		1			1			1	1	646.5543	L.H.		
																				654.6720	OEM REMOVABLE PROVISIONS		2
Х																				654.6719	OEM FIXED PROVISIONS KIT B		2
	X																			654.6718	OEM FIXED PROVISIONS KIT A		2
		Х																		654.6717	TRAKKA RELOCATION KIT		2
			Х																	654.6716	VALVE COVER		2
				X																654.6715	SUPPLEMENTAL FIXED PROVISIONS KIT (EFS ONLY)		2
					Х															654.6714	SUPPLEMENTAL FIXED PROVISIONS KIT (EFS W/ RAFT)		2
						Х														654.6713	AUTO INFLATION KIT (W/O OEM FIXED PROVISIONS)		2
							Х													654.6712	AUTO INFLATION KIT (W/ OEM FIXED PROVISIONS)		2
								Х												654.6711	SKID EXTENSIONS		2 1
									Х											654.6710	EMERGENCY FLOAT SYSTEM W/ HOIST GUARDS REMOVABLE PROVISIONS		2
										Х										654.6709	EMERGENCY FLOAT SYSTEM W/ LIFERAFT & HOIST GUARDS REMOVABLE PROVISIONS		<u>/2</u>
											X									654.6708	EMERGENCY FLOAT SYSTEM		/2
											<u> </u>	Х								654.6707	W/ HOIST GUARDS EMERGENCY FLOAT SYSTEM		2
													X							654.6706	W/ LIFERAFT & HOIST GUARDS EMERGENCY FLOAT SYSTEM		2
														X						654.6705	REMOVABLE PROVISIONS EMERGENCY FLOAT SYSTEM		2
																					FIXED PROVISIONS EMERGENCY FLOAT SYSTEM		
															X					654.6704	W/ LIFERAFT REMOVABLE PROVISIONS EMERGENCY FLOAT SYSTEM		2
																Х				654.6703	W/ LIFERAFT FIXED PROVISIONS		2
																	Х			654.6702	EMERGENCY FLOAT SYSTEM EMERGENCY FLOAT SYSTEM		2
																		Х		654.6701	W/LIFERAFT		2
6719	6718	6717	6716	6715	6714	6713	6712	6711	6710	6709	6708	6707	6706	6705	6704	6703	6702	6701	F/N	P/N	DESCRIPTION	MAT'L	SPE

NEXT ASSY (S)	ORIGINAL DATE (MO-DA-YR) DRAWN BY A.FLORES	08-03-20 CHECKER R. TAKAHASHI		AC	KI	30 ENTERI SUITE VISTA, CA	Α	- ',
	DRAWING APPR J. GARDINER 08-03-20	OVAL		APICAL INDU dba DART A	STRIES, INC. EROSPACE	(760)-724	4-530	00
	CONTRACT No.				D2/D3 E/			
		WISE SPECIFIED			<u> </u>	-EKAF	<u> </u>	
	DIMENSIONS A		SIZE	CAGE CODE				REV.
	2 PLACE DECIN	MALS ±.05	В	07MZ6	654.	<u> </u>		Α
	ANGLES + .5		l sc	:AIF		SHEET	1 C	DF 10

Released on 6/18/2021 PRINTED COPY OF THIS DOCUMENT IS FOR REFERENCE ONLY AND IS UNCONTROLLED THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED. <u> 8</u> 624.9001 MULTI CABLE BOX SLEEVE 644.6111 644.6210 SLEEVE RETAINER <u>/17</u> 646.5907 PULL CABLE ASSY 600.0540 **BOLT** AN3C3A 601.0757 BOLT AN3C4A 98 | 24 | 24 601.0774 WASHER NAS1149C0363R 601.0789 NUT MS21043-3 614.8010 TAB 20" 20" 20" 20" | 20" | 20" | 20" 20" 20" 20" 601.1806 **HEAT SHRINK TUBING** MS23053/4303-0 /14 648.5201 T-BOLT LOOP CLAMP 601.4035 RECEPTACLE COVER MS3181-8A 614.6202 PULL HANDLE LEVER 634.0501 HANDLE SHIM 614.2302 HANDLE ASSY LOOP CLAMP MS21919WDG17 601.0730 10 22 601.0797 LOOP CLAMP MS21919WDG3 601.1592 LOOP CLAMP MS21919WDG6 601.0776 LOOP CLAMP MS21919WDG8 600.0685 LOOP CLAMP MS21919WDG56 601.1516 **UNION TEE** 601.2370 TEE -4 601.2368 **ELBOW** 601.2956 CLICK BOND CB3001CR3-8 646.5910 PULL CABLE ASSY 646.7402 FLOAT RESERVOIR ASSY 646.7504 LIFERAFT RESERVOIR ASSY 646.4302 CABLE BOX MOUNT ASSY 646.6003 **BRACKET ASSY** 651.4004 H145 REMOVABLE ASSY 601.3161 CR3212-4-9 **RIVET** 651.4003 H145 BRACKET ASSY 646.5904 PULL CABLE ASSY 646.5903 PULL CABLE ASSY 646.5902 PULL CABLE ASSY 646.5901 PULL CABLE ASSY 646.8401 T-HANDLE CLAMP ASSY REF REF REF 602.3011 HOSE ASSY 647.9904 VALVE COVER ASSY <u>21</u> 602.3010 HOSE ASSY 602.3009 HOSE ASSY 602.3008 HOSE ASSY DESCRIPTION |6720|6719|6718|6717|6716|6715|6714|6713|6712|6711|6710|6709|6708|6707|6706|6705|6704|6703|6702|6701| F/N SPEC P/N MAT'L ORIGINAL DATE 08-03-20 3030 ENTERPRISE CT., SUITE A VISTA, CA., 20081 (MO-DA-YR) DRAWN BY CHECKER R. TAKAHASHI A.FLORES DRAWING APPROVAL J. GARDINER (760)-724-5300 08-03-20 CONTRACT No. BK117 D2/D3 EMERGENCY FLOAT AND LIFERAFT KIT UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
2 PLACE DECIMALS ±.05
3 PLACE DECIMALS ±.030
ANGLES ± .5° SIZE CAGE CODE DWG. NO 654.6700 B 07MZ6 SCALE SHEET 2 OF 10 Released on 6/18/2021 PRINTED COPY OF THIS DOCUMENT IS FOR REFERENCE ONLY AND IS UNCONTROLLED THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED. 8 NUTPLATE MS21059L3 4 8 4 8 4 8 4 8 103 601.1900 2FT 2FT 2FT 2FT 2FT 2FT 102 601.1919 **COPPER WIRE** 4 4 4 4 4 4 4 4 4 4 AFT SADDLE BRACKET 101 624.2202 1 100 601.2045 RTV LOCTITE 598 4 4 4 4 4 4 99 634.9703 **EMERGENCY PLACARD** 7 1 98 634.9706 LIFERAFT PLACARD 1 1 1 1 1 7 FLOAT PLACARD 1 1 1 1 1 1 97 634.9720 4 96 601.0970 NUT MS21043-4 8 WASHER NAS1149C0363R 95 601.0863 4 94 601.0840 BOLT AN4C40A SPACER NAS43DD3-24 4 4 4 4 4 4 4 4 4 93 601.1625 10FT 10FT 10FT 10FT | 10FT | 10FT | 10FT 10FT 10FT 10FT 92 SPIRAL WRAP 601.1347 4 91 601.2994 **BOLT** 32 32 32 32 32 | 32 32 32 32 32 90 601.1065 RIVET CR3212-4-3 16 16 16 16 16 16 89 601.1774 RIVET MS20470AD3-3 4 6 6 6 6 6 88 BOLT AN3C5A 6 601.0720 2 2 2 87 NUTPLATE MS21075L3 2 2 2 601.1617 REF REF REF 86 601.3473 RIVET NAS1097AD4-3 1 1 85 645.0210 DOUBLER GROMMET MS35489-33 1 1 1 84 601.2255 3 83 MS35489-11 1 3 1 1 1 3 1 3 3 1 3 601.1247 **GROMMET** 8FT 4FT 8FT 8FT | 4FT | 8FT | 4FT 8FT 4FT | 8FT | 82 SAFETY WIRE MS20995C20 601.1876 1 1 81 600.0038 **BUNA-N-RUBBER** MIL-R-3065 MIL-S-8802 CLASS B 80 SEMKIT PRO SEAL 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 601.1150 1 1 1 1 1 1 79 600.0927 **MASTINOX** MIL-P-8116B REF REF REF REF 78 R853-00112000-01 UTILITY STEP ASSY (RH) REF REF REF REF 77 R853-00112000-00 UTILITY STEP ASSY (LH) REF REF REF REF 76 AFM-SM117-11 UTILITY STEP ASSY (RH) REF REF REF REF 75 AFM-SM117-10 UTILITY STEP ASSY (LH) 74 **DELETED** 10 10 10 10 10 10 10 10 10 73 600.0644 CONNECT RING <u>/11</u> 10 4 4 4 10 10 4 4 4 4 4 4 72 601.1878 **TYWRAP** MS23367-5 4 14 66 14 66 14 66 14 71 MS20470AD4-5 66 66 66 601.1119 RIVET 1537A31 REV. C 2 **EPOXY** 2 2 2 2 2 2 2 2 2 2 2 2 70 600.0926 69 **DELETED** <u>/15\</u> 2 2 2 2 2 2 68 646.7810 **DOUBLER** 4 4 4 67 601.1874 **BOLT** AN3C10A 651.4006 H145 FIXED ASSY <u>/15\</u> 2 2 2 66 4 4 4 65 NYLON WASHER NAS1515H3L 601.1670 12 12 12 | 12 | 12 | 12 12 12 12 64 601.2246 NUT MS21043-6 24 24 24 24 24 24 24 24 24 63 601.1882 WASHER NAS1149C0663R 12 12 12 12 12 12 12 12 12 62 601.4394 BOLT AN6C43A 3 4 4 4 601.0785 **BOLT** AN3C6A 6720 6719 6718 6717 6716 6715 6714 6713 6712 6711 6710 6709 6708 6707 6706 6705 6704 6703 6702 6701 F/N DESCRIPTION MAT'L SPEC P/N ORIGINAL DATE 3030 ENTERPRISE CT., SUITE A VISTA, CA. 22081 (MO-DA-YR) 08-03-20 DRAWN BY CHECKER A.FLORES R. TAKAHASHI DRAWING APPROVAL J. GARDINER (760)-724-5300 08-03-20 CONTRACT No. BK117 D2/D3 EMERGENCY FLOAT AND LIFERAFT KIT UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ± .5° SIZE CAGE CODE DWG. NO. 654.6700 B 07MZ6 SCALE SHEET 3 OF 10













